

## Special Cable Ties

# UL94-V0 Cable Ties

Our high quality nylon 6,6 V0 rated cable ties are available in white only. They are self extinguishing to Class UL94-V0. They can be tightened by hand or using one of our tensioning tools. Our V0 rated cable ties are tested before leaving the factory by an independent testing company to ensure the highest levels of quality and strength.



- Material: Nylon PA66
- Standard: UL Approved
- Working Temp: -40°C to +80°C
- Self Extinguishing Class: UL94V0
- ROHS Compliant: Yes - Zero Halogen: Yes

UL94-V0 Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
4.8MM X 200MM	N	22	16000
4.8MM X 300MM	N	22	11000
4.8MM X 370MM	N	22	9000

# Heat Stabilised Cable Ties

Our high quality nylon 6,6 heat stabilised cable ties are available in natural (with a green tint) and come packed in 100's. They can be tightened by hand or using one of our tensioning tools. Our heat stabilized cable ties are tested before leaving the factory by

## Special Cable Ties



an outside testing company to ensure the highest levels of quality and strength.

- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +120°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes - Zero Halogen: Yes

Heat Stabilised Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
3.6MM X 140MM	N	18	30000
4.8MM X 200MM	N	22	16000
4.8MM X 300MM	N	22	11000
7.6MM X 370MM	N	54.4	4500

## Marker Cable Ties

Our high quality nylon 6,6 marker cable ties are available in natural as standard and come packed in 100's. They can be tightened by hand or using one of our tensioning tools. They are ideal for easily securing and identifying cables, pipes and hoses etc.

## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes - Zero Halogen: Yes

Marker Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
2.5MM X 100MM	W	8	16000
2.5MM X 110MM	W	8	11000
4.8MM X 200MM	W	22	9000

## UV Stabilised Cable Ties

Our high quality nylon 6,6 UV stabilised cable ties are available in black only and come packed in 100's. They can be tightened by hand or using one of our tensioning tools. Our UV stabilised cable ties are tested before leaving the factory by an outside testing company to ensure the highest levels of quality and strength.

## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

UV Stabilised Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
2.5MM X 100MM	B	8	55000
3.6MM X 140MM	B	18	30000
4.8MM X 200MM	B	22	16000
4.8MM X 300MM	B	22	11000
7.6MM X 370MM	B	57.4	4500
4.8MM X 430MM	B	22	7500
13MM X 580MM	B	114	1200

## Screw Mount Cable Ties

Our high quality nylon 6,6 screw mountable cable ties are available in black and natural, both of which come packed in 100's. They can be tightened by hand or using one of our tensioning tools. They are ideal for fastening bundles of cable, hoses, pipes etc and then fixing securely, using a screw.

## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

Screw Mount Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
2.5MM X 110MM	B/N	8	30000
3.6MM X 150MM	B/N	18	20000
4.8MM X 200MM	B/N	22	11000
4.8MM X 300MM	B/N	22	10000

## Push Mount Cable Ties

Our high quality nylon 6,6 push mountable cable ties are available in black and natural, both of which come packed in 100's. They can be tightened by hand or using one of our tensioning tools. They are ideal for fastening bundles of cable, hoses and pipes etc and then fixing to a panel or chassis.

## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

Push Mount Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
4.8MM X 200MM	B/N	22	10000

## Metal Detectable Cable Ties

Our high quality metal detectable cable ties (also known as food industry cable ties) are available in blue only and are primarily used in the food and pharmaceutical industries, they are manufactured with a metal pigment in the cable ties which makes them ideal for the installation of cables in and around the manufacturing process. They can be

tightened by hand or using one of our tensioning tools.

## Special Cable Ties



- Material: Nylon PA66
- Working Temp: -25°C to +65°C
- ROHS Compliant: Yes
- Zero Halogen: Yes

Metal Detectable Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
2.5MM X 100MM	BL	10	5000
3.6MM X 150MM	BL	18	5000
4.6MM X 200MM	BL	25	5000
4.6MM X 280MM	BL	25	5000
7.5MM X 360MM	BL	60	1500
4.6MM X 385MM	BL	25	3500

## Printed Cable Ties

Our high quality printed cable ties can be customised with your chosen text and/or sequential number making them an ideal solution for identifying cables or securing assets.

We offer 3 options for printing:

TEXT - This can be up to 36 characters.

TEXT & NUMBER - This can be up to 24 characters followed by a 7 digit sequential number (starting at a number of your choice).

NUMBER - This can be a 7 digit sequential number (starting at a number of your choice)

## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

Printed Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	MOQ	BOX QUANTITY
4.8MM X 200MM	B, W, R, G, BL, Y, S, BR	1000	16000
4.8MM X 300MM	B, W, R, G, BL, Y, S, BR	1000	11000
4.8MM X 370MM	B, W, R, G, BL, Y, S, BR	1000	9000
7.6MM X 370MM	B, W, R, G, BL, Y, S, BR	1000	4500
9.0MM X 430MM	B, W, R, G, BL, Y, S, BR	1000	2500

## Double Loop Cable Ties

Our high quality nylon 6,6 double loop cable ties are available in black and natural, both of which come packed in 100's. They are ideal for securing multiple bundles of cable, or just to secure one bundle to a fixing point.



## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

Double Loop Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
4.8MM X 200MM	B/N	22.2	14000
4.8MM X 300MM	B/N	22.2	10000

## Chassis Cable Ties

Our high quality Nylon 6,6 chassis cable ties are available in black & they come packed in 100's. The head of the cable tie sits on the reverse side of a panel and allows the object to be fastened using a single loop.

## Special Cable Ties



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

Chassis Cable Ties			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
7.6MM X 370MM	B	54.42	2000

## Metal Tooth Cable Tie

Our high quality metal tooth cable ties are available in black and come packed in 100's. The stainless steel tooth locks the tie in the required position without the need for serration in the strap, making the cable tie remain flexible even at low temperatures.



- Material: Nylon PA66
- Standard: UL Approved
- Military: 23190E
- Working Temp: -40°C to +85°C

## Special Cable Ties

- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes – Zero Halogen: Yes

Metal Tooth Cable Tie			
PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
2.5MM X 100MM	B	18	10000
3.5MM X 200MM	B	28	8000
3.5MM X 200MM	B	28	6000
4.5MM X 186MM	B	40	5000
4.5MM X 290MM	B	40	5000
4.5MM X 360MM	B	40	4000

## Winged Mount Cable Ties

Designed for securing cables to a car panel or chassis.  
Can be released from the panel or chassis then reconnected.  
Packs in 50 cable ties



- Material: Nylon PA66
- Standard: UL Approved
- Working Temp: -40°C to +85°C
- Self Extinguishing Class: UL94V2
- ROHS Compliant: Yes - Zero Halogen: Yes

### WINGED MOUNT CABLE TIES

## Special Cable Ties

PRODUCT SIZE	COLORS AVAILABLE	TENSILE STRENGTH (KG)	BOX QUANTITY
2.5MM X 110MM	B	10	10000
3.6MM X 155MM	B	18	8000
4.8MM X 100MM	B	25	6000
4.8MM X 200MM	B	25	5000